POPULATION ESTIMATES	POPULATION ESTIMATES CENSUS DATA		LOCAL PUBLIC HEALTH			
			1			
	· ·		Per			
Total 1995 Population Est 21, 380		<u> Activities Reported Num</u>	<u>nber 10,000</u>			
Percent Female 50.4	Note: Data in this section are from	-				
	the 1990 Census. (All other	Public Health Nursing	·			
Population per square mile 28	sections contain 1995 data		693 324			
Rank in state 53	except where specified.)	Total visits	953 446			
(1=highest population density,		Visits: Reason for				
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion	102 48			
	Income to Poverty	Infant/child hlth	461 216			
	(Cumul ative)		179 84			
<u>Age Female Male Total</u>		Ci rcul atory	·			
0-14 2, 360 2, 540 4, 900	Age <100% <185% <200% Total <5 14 40 45 1,571	Prenatal	65 30			
15-19 780 850 1,620		Postpartum 1	145 68			
20-24 570 600 1, 170	5-17 12 36 40 4, 149					
25-29 590 600 1, 190	18-44 9 27 30 7,874	WIC Participants	497 232			
30-34 890 840 1,730	45-64 7 20 22 3,570					
35-39 970 920 1,890	65+ 12 37 41 2,726	Clinic Visits 1,	630 763			
40-44 830 900 1,730		Immunization 1,4	100 655			
45-54 1, 170 1, 270 2, 440		Blood pressure				
55-64 890 820 1,710						
65-74 890 740 1,630		Environmental Contacts				
75-84 610 410 1,020	CANCER INCIDENCE	Env hazards	68 32			
85+ 230 110 340	(1995)	Public health nuisance	373 174			
Total 10, 780 10, 600 21, 380						
	Primary site Number	School Health				
	Col on 16	Vision screenings				
Age Female Male Total	Lung 6	Hearing screenings	ا ٠ ٠ ١			
0-17 2,830 3,070 5,900	Breast 17	H 1.1 E1				
18-44 4, 160 4, 180 8, 340	Prostate 24	Health Education	F0 00			
45-64 2,060 2,090 4,150	All others 44	Community sessions	56 26			
65+ 1,730 1,260 2,990 Track 10,730 10,000 21,990	Total 107		828 387			
Total 10, 780 10, 600 21, 380			5 2			
		School attendance	135 63			
E M P L O Y M E N T	I ON C TERM CARE	Ctoffing ETE				
	LUNG IEKM CAKE	Staffing - FTEs Total staff	A 1 7			
Note: Average wage is based on place			4 1. 7 <1 0. 3			
Note: Average wage is based on place of work, not place of residence.	 Home Health Agencies 1	Administrators Public health nurses	<1 0.3 2 0.7			
of work, not prace of residence.			د U. / ا			
Avenage wage for iche covered	Patients 621 Patients per 10,000 pop 290	Public health aides	<1 0.1			
Average wage for jobs covered by Unemployment Compensation \$18,712	ractenes per 10,000 pop 290	Environmental specialists	<1 U.1			
by unemproyment compensation \$18,712	 Nursing Homes 3	1	١,			
Labor Force Estimates Annual Average	Nursing Homes 3 Licensed beds 225	LOCAL PUBLIC HEALTH F	IINDI NC			
Civilian labor force 13, 256	Occupancy rate (percent) 76.6%	LUCAL FUBLIC HEALIN FO	Per			
Civilian labor force 13,256 Number employed 12,736	0ccupancy rate (percent) 76.6% Residents on 12/31/95 172 Residents per 1,000	Λ	ount Capita			
Number employed 12,730 Number unemployed 520	Residents per 1 000	Total funding \$142.2	334 \$6.71			
Unemployment rate 3.9%	population aged 65 or older 54	Total funding \$143,3 Local taxes \$92,9	919 \$4.35			
onemproyment rate 5.9%	populación aged os of order 34	100ai 0axes 392, 8	110 94.00			
1	ı					

----- N A T A L I T Y -----

TOTAL LIVE BIRTHS		296	Birth Order	Bi rths	Percent	Marital Status		
TOTAL LIVE DIKINS		200	First	109	37	of Mother	Rirths	Percent
Crude Live Birth Rate	.	13.8	Second	95	32	Marri ed	232	78
General Fertility Rat		64. 1	Thi rd	60	20	Not married	64	22
deneral referricy wat	·C	04. 1	Fourth or higher	32	11	Unknown	0	
Live births with repo	rtad		Unknown	0		Ulikilowii	U	•
congenital anomalies	n teu	8 . %	Ulikilowii	U	•	Educati on		
congenical anomaires	•	. /0	First Prenatal			of Mother	Births	Percent
<u>Delivery Type</u>	Dintha	Percent	Visit	Bi rths	Percent	Elementary or less	1	<u>rercent</u>
Vaginal after	DITUIS	1 er cent	1st trimester	252	85	Some high school	24	8
previous cesarean	11		2nd trimester	37	13	High school	126	43
Forceps	11	•	3rd trimester	6		Some college	82	28
Other vaginal	222	75	No visits	1	•	College graduate	62	21
Dri many agamaan	29	10	Unknown	0	•	Unknown	1	21
Primary cesarean	29 23	8	UIIKIIOWII	U	•	UIIKIIOWII	1	•
Repeat cesarean Other or unknown	23 0	o	Number of Prenatal			Smolding Status		
other or unknown	U	•		D: l	D	Smoking Status	D: l	D
Dinth Wai-l-t	D: l	Dones	Care visits	Births	Percent	<u>of Mother</u> Smoke r	Births 59	Percent 20
Birth Weight		Percent	No visits	1	•			20
<1, 500 gm	3	~ · 1	1-4 visits	6	10	Nonsmoker	237	80
1, 500-2, 499 gm	21	7. 1	5-9 visits	56	19	Unknown	0	•
2, 500+ gm	272	91. 9	10-12 visits	149	50			
Unknown	0	•	13 + visits	84	28			
			Unknown	0	•			
Race of Mother White Black Other Unknown	Total B Births P 296 0 0 0		Low Birth Weight (under 2,500 gm) Births Percent 24 8.1	1st Tri <u>Births</u> 252	mester Percent 85	37 13 	Other/UBirths 7	Jnknown Percent
White Black Other	Births P 296 0 0 0	ercent 100	(under 2,500 gm) Births Percent 24 8.1 Low Birth Weight	Births 252	mester Percent 85	2nd Trimester Births Percent 37 13 er of First Prenatal	Other/UBirths 7 Visit	Percent
White Black Other Unknown	Births P 296 0 0 0	ercent 100	(under 2,500 gm) Births Percent 24 8.1 Low Birth Weight (under 2,500 gm)	Bi rths 252	mester Percent 85	2nd Trimester Births Percent 37 13 er of First Prenatal 2nd Trimester	Other/UBirths 7 Visit	Percent
White Black Other Unknown Age of Mother	Births P 296 0 0 0	ercent 100	(under 2,500 gm) Births Percent 24 8.1 Low Birth Weight	Bi rths 252	mester Percent 85	2nd Trimester Births Percent 37 13 er of First Prenatal	Other/UBirths 7 Visit	Percent
White Black Other Unknown Age of Mother <15	Births P 296 0 0 0 Fe Births	ercent 100 rtility Rate	(under 2,500 gm) Births Percent 24 8.1 Low Birth Weight (under 2,500 gm)	Births 252	mester Percent 85	2nd Trimester Births Percent 37 13 er of First Prenatal 2nd Trimester Births Percent	Other/UBirths 7 Visit	Percent
White Black Other Unknown Age of Mother	Births P 296 0 0 0 Fe Births 1 4	ercent 100 rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 .	Births 252	mester Percent 85	2nd Trimester Births Percent 37 13	Other/UBirths 7 Visit	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19	Births P 296 0 0 Fe Births 1 4 13	ercent 100 rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 .	Births 252	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13	Other/UBirths 7 Visit	Percent
White Black Other Unknown Age of Mother <15 15-17	Births P 296 0 0 0 Fe Births 1 4	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 2 . 5 .	Births 252 1st Tri Births 1 2 11 52	mester Percent 85	2nd Trimester Births Percent 37 13	Other/UBirths 7 Visit Other/UBirths . 1 .	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births P 296 0 0 Fe Births 1 4 13 67	rtility Rate 118	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 .	Births 252	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13	Other/UBirths 7 Visit Other/UBirths . 1 . 1	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births P 296 0 0 0 Fe Births 1 4 13 67 100 76	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 . 2 . 5 . 6 . 7 .	Births 252 1st Tri Births 1 2 11 52 91 68	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13	Other/LBirths 7 Visit Other/LBirths	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births P 296 0 0 0 Fe Births 1 4 13 67 100 76 27	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 . 2 . 5 . 6 . 7 . 1 .	Births 252 1st Tri Births 1 2 11 52 91 68 21	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13 er of First Prenatal 2nd Trimester Births Percent 1 . 2 . 14 . 8 . 6 . 4 .	Other/UBirths 7 Visit Other/UBirths . 1 . 1	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births P 296 0 0 0 Fe Births 1 4 13 67 100 76 27 8	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 . 2 . 5 . 6 . 7 .	Births 252 1st Tri Births 1 2 11 52 91 68	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13	Other/LBirths 7 Visit Other/LBirths	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births P 296 0 0 0 Fe Births 1 4 13 67 100 76 27	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 . 2 . 5 . 6 . 7 . 1 .	Births 252 1st Tri Births 1 2 11 52 91 68 21	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13 er of First Prenatal 2nd Trimester Births Percent 1 . 2 . 14 . 8 . 6 . 4 .	Other/LBirths 7 Visit Other/LBirths	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	Births P 296 0 0 0 Fe Births 1 4 13 67 100 76 27 8	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 . 2 . 5 . 6 . 7 . 1 .	Births 252 1st Tri Births 1 2 11 52 91 68 21	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13 er of First Prenatal 2nd Trimester Births Percent 1 . 2 . 14 . 8 . 6 . 4 .	Other/LBirths 7 Visit Other/LBirths	Percent
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 1 4 13 67 100 76 27 8 0	rtility Rate	(under 2, 500 gm) Births Percent 24 8.1 Low Birth Weight (under 2, 500 gm) Births Percent 1 . 2 . 5 . 6 . 7 . 1 .	Births 252 1st Tri Births 1 2 11 52 91 68 21	mester Percent 85 Tri mest mester Percent	2nd Trimester Births Percent 37 13 er of First Prenatal 2nd Trimester Births Percent 1 . 2 . 14 . 8 . 6 . 4 .	Other/LBirths 7 Visit Other/LBirths	Percent

1995 PROFILE FOR IOWA COUNTY Third of four pages ----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES Perinatal and fetal deaths. | Birth Weight | C1,500 gm | C1,500 gm | C1,500 gm | C2,500+gm | C3,500+gm | C4,500 gm | C5,500+gm | C5,500+gm | C5,500+gm | C5,500+gm | C5,500+gm | C5,500+gm | C6,500+gm | C ----- I M M U N I Z A T I O N S ------

------ HOSPITALIZATIONS------

DI SEASE / AGE GROUP Numbe	Per 1,000 er Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charg Per Capi ta
	*	,		<u> </u>	'		- 1	, , , , , , , , , , , , , , , , , , ,		
Injury-Related: All				+	Al cohol - Rel ated					
Total 20		4. 7	\$8, 347	\$82	Total	55	2.6	3. 0	\$1, 943	\$5
	5. 1	3. 3	\$5, 799	\$29	18-44	30	3.6	2.8	\$1, 558	\$6
	7.3	3. 5	\$8, 145	\$60	45-64	24	5.8	3. 4	\$2, 484	\$14
	13 10.4	4. 5	\$8, 415	\$87	_					
	75 25. 0	6. 2	\$9, 491	\$238	Pneumonia and In	nfl uenza				
Injury: Hip Fractu	re				Total	88	4. 1	4.6	\$6, 203	\$26
Total 2	27 1.3	8. 9	\$14, 922	\$19	 <18	19	•			
	23 7. 7	8. 7	\$14, 229	\$109	45-64	10	•		•	
Injury: Poi soni ngs					65+	44	14. 7	5.8	\$7, 933	\$117
				•	ľ					
18-44	7 .		•		Cerebrovascul ar	Di sease				
					Total	75	3. 5	5. 1	\$7,842	\$28
Psychi atri c					45-64	21	5. 1		\$12, 424	\$63
Total 10	9 5. 1	10. 0	\$6, 213	\$32	65+	52	17.4	4. 0	\$4, 949	\$86
	23 3.9	12. 3	\$7, 256	\$28		0.2		2. 0	4 1, 6 16	400
	32 7. 5	7. 2	\$4, 871	\$36	Chronic Obstruct	ive Puli	nonary I)i sease		
45-64	$\tilde{7}$ $\tilde{7}$		ψ 1 , 0 /1	•	Total	45	2. 1	4. 0	\$5, 030	\$11
	, . 		•		<18	2	~. I		40, 000	Ų11
03+		•	•	•	18-44	3	•	•	•	•
Coronary Heart Diseas	20				45-64	12	•	•	•	•
Total 12		12	\$11,605	\$68	43-04 65+	28	9. 3	4. 1	\$5, 137	\$ 4 8
	14 10.6		\$14, 078	\$149	05+	20	9. 3	4. 1	33, 137	340
	75 25. 0		\$14, 078 \$10, 553	\$149 \$264	Drug-Related					
03+	23.0	4. 0	\$10, 555	32U4		7				
Maliana Nagalaana	(C)				Total 18-44	7 4	•	•	•	•
Malignant Neoplasms	(cancers)	All	010 400	0.40	18-44	4	•	•	•	•
	9 4.6	6. 1	\$10, 486	\$49	Track I II. and a six					
	8 .	•			Total Hospitalia	zations	100 0	4.0	00.001	07.40
	7. 2	6. Z	\$10, 863	\$78	Total	2, 565	120. 0	4. 2	\$6, 231	\$748
	31 20.4		\$10, 721	\$218	<18	505	85. 5	3.3	\$3,667	\$314
Neoplasms: Female 1	reast (r		remale p	opul at i on)	18-44	775	93. 1	3. 1	\$4, 585	\$427
	11 .	•	•	•	45-64	485	116. 8	4. 7	\$8, 226	\$961
Neoplasms: Colo-re		~ ^	044 404	040	65+	800	267. 1	5. 4	\$8, 234	\$2, 199
	22 1.0	7. 0	\$11, 421	\$12			0 0 5 =			0 11 0
		•	•	•	PREVENTAI		USPI	TAL		
Neoplasms: Lung					Total	340	15. 9	4. 3	\$5, 265	\$84
Total	9 .	•	•	•	<18	52	8.8	2.4	\$2,429	\$21
_					18- 44	41	4. 9	3.8	\$4, 503	\$22
Diabetes					45-64	72	17. 3	4.8	\$6, 033	\$105
	27 1.3	6. 5	\$8, 371	\$11	65+	175	58. 4	4.8	\$5, 971	\$349
65 +	l 4 .									
					* Hospitalization effective ambulat hospitalization.	ns for co tory care	ondition e can re	ns where educe th	timely an e likeliho	nd ood of